



FURUKAWA

Furukawa PD 200




Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
R32	44.5	330	3.0	6304014301	60W330-4-R32D4403
T38	44.5	380	3.6	6304022304	60W380-4-T38D4403
T38	44.5	446	4.0	6304022308	60W446-4-T38D4403

Furukawa PD 200 R



R38	44.5	485	4.2	6304017629	60W485-4-R38D4403
T38	44.5	380	4.2	6304022296	60W380-4-T38D4403
T38	44.5	485	5.2	6304022298	60W485-4-T38D4403
T45	44.5	495	5.3	6304023300	60W495-4-T45D4403

Furukawa HD 300



T38	45	655	6.0	6306022241	60W655-6-T38D4503
T45	45	655	6.7	6306023242	60W655-6-T45D4503


Furukawa HD 609



T38	45	620	6.0	6308122247	60W620-8-T38D4503
T38	45	690	6.4	6308122249	60W690-8-T38D4503
T45	45	620	6.3	6308123248	60W620-8-T45D4503
T45	45	690	6.7	6308123250	60W690-8-T45D4503

FURUKAWA

Furukawa HD 612




Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
T38	50.8	710	8.6	6308122623	60W710-8-T38D5103
T45	50.8	710	8.9	6308123256	60W710-8-T45D5103
T51	50.8	710	9.0	6308124257	60W710-8-T51D5103

Furukawa HD 709,HD 818



T38	45	620	6.3	6308122270	60W620-8-T38D4503
T45	45	620	6.8	6308123271	60W620-8-T45D4503
T51	53	620	6.8	6308124272	60W620-8-T51D5303

Furukawa HD 712,HD 822,HD 826



T38	51	590	8.0	6308122624	60W590-8-T38D5103
T45	51	590	8.4	6308123277	60W590-8-T45D5103
T51	51	590	8.8	6308124278	60W590-8-T51D5103
T38	51	790	8.9	6308122625	60W790-8-T38D5103
T45	51	790	9.5	6308123279	60W790-8-T45D5103
T51	51	790	10.8	6308124280	60W790-8-T51D5103

Furukawa HD 709 RP,HD 818 RP



T38	45	785	8.8	6308122275	60W785-8-T38D4503
T45	45	785	9.2	6308123273	60W785-8-T45D4503
T38	45	815	9.0	6308122276	60W815-8-T38D4503
T45	45	815	9.5	6308123274	60W815-8-T45D4503

FURUKAWA

Furukawa HD 712 RP, HD 822 RP,
HD 826 RP



Thread	Dia (mm)	Length (mm)	Weight (kg)	Product No.	Part No.
T38	51	885	12.2	6308122626	60W885-8-T38D5103
T45	51	885	12.6	6308123313	60W885-8-T45D5103
T51	51	885	13.0	6308124315	60W885-8-T51D5103

Furukawa HD 715 RP, HD 828 RP



T45	58	885	15.3	6308123627	60W885-8-T45D5803
T51	58	885	15.8	6308124294	60W885-8-T51D5803

Kemaico Rock Tools Inc.

Add: 300 Knightsbridge Pkwy Ste. 113 Lincolnshire, IL60069

Tel: 1-847-913-6878 Fax: 1-847-913-6879

Mail:office@kemaico.com

Maxdrill Rock Tools Co.,Ltd.

Add: No.14-16, 12th Floor,Building B6,Zhongjian Building,No.1 Luchongguan Road,Yunyan

District,Guiyang,Guizhou,China

Tel: 86-851-88639106 Fax: 86-851-88639108

Mail:info@kemaico.com

